

PU (POLYURETHANE) TUBINGS - ESTER BASTED 聚氨酯管 - 聚酯型

Products Features 产品特点

- Flexible polyurethane material, which is reached the ROHS environmental protection requirements.
- Excellent performance of resistance against high-pressure, vibration, corrosion, wear, weather and bending.
- High precision of inside and outside dia sizes controllable, suitable for various kinds of fittings.
- Multiple colors for your selection.
- 可塑性聚氨酯材质，符合 ROHS 环保要求。
- 具有优异的抗高压、抗振动、抗腐蚀、耐磨、耐气候和抗弯曲性能。
- 可控内外径尺寸的高精度，适用于各种接头。
- 多种颜色可供选择。

Products Specifications 产品参数

Material/材质	PU/聚氨酯
Fluid Admitted/适用流体	Air, Water*/空气, 水*
Burst Pressure/爆破压力	30 Bar
Working Pressure/工作压力	10 Bar
Working Temperature/环境温度及使用流体温度	-40°C-60°C
*No Freezing/不冻结	



Metric Sizes 公制尺寸			
ITEM NO./产品型号	O.D./外径尺寸	I.D./内径尺寸	Standard Length/标准长度
PU 3x2	3mm	2mm	200m/roll
PU 4x2.5	4mm	2.5mm	200m/roll
PU 6x4	6mm	4mm	200m/roll
PU 8x5	8mm	5mm	100m/roll
PU 8x5.5	8mm	5.5mm	100m/roll
PU 10x6.5	10mm	6.5mm	100m/roll
PU 12x8	12mm	8mm	100m/roll
PU 16x12	16mm	12mm	100m/roll

Inch Sizes 英制尺寸			
ITEM NO./产品型号	O.D./外径尺寸	I.D./内径尺寸	Standard Length/标准长度
PU 1/8	1/8"	2mm	200m/roll
PU 3/16	3/16"	3.2mm	200m/roll
PU 5/32	5/32"	2.5	200m/roll
PU 1/4	1/4"	4.23mm	200m/roll
PU 5/16	5/16"	5mm	100m/roll
PU 3/8	3/8"	1/4"	100m/roll
PU 1/2	1/2"	8.46mm	100m/roll
PU 5/8	5/8"	12mm	200m/roll

*可按客户定制长度包装。
*Customized length is available.

Color 颜色

BLUE	BLACK	CLEAR	RED	YELLOW	ORANGE	GREEN	CLRAR GREEN	CLEAR RED	CLEAR BLUE

*可接受客户定制颜色。
*Customized color is available.

PU (POLYURETHANE) TUBINGS - ETHER BASTED 聚氨酯管-聚醚型

Products Features 产品特点

- Flexible polyurethane material, which is reached the ROHS environmental protection requirements.
- Excellent performance of resistance against high-pressure, vibration, corrosion, wear, weather and bending.
- High precision of inside and outside dia sizes controllable, suitable for various kinds of fittings.
- Multiple colors for your selection.
- 可塑性聚氨酯材质，符合 ROHS 环保要求。
- 具有优异的抗高压、抗振动、抗腐蚀、耐磨、耐气候和抗弯曲性能。
- 可控内外径尺寸的高精度，适用于各种接头。
- 多种颜色可供选择。

Products Specifications 产品参数

Material/材质	PU/聚氨酯
Fluid Admitted/适用流体	Air, Water*/空气, 水*
Burst Pressure/爆破压力	30 Bar
Working Pressure/工作压力	10 Bar
Working Temperature/环境温度及使用流体温度	-40°C-60°C
*No Freezing/不冻结	



Metric Sizes 公制尺寸			
ITEM NO./产品型号	O.D./外径尺寸	I.D./内径尺寸	Standard Length/标准长度
PU 3x2	3mm	2mm	200m/roll
PU 4x2.5	4mm	2.5mm	200m/roll
PU 6x4	6mm	4mm	200m/roll
PU 8x5	8mm	5mm	100m/roll
PU 8x5.5	8mm	5.5mm	100m/roll
PU 10x6.5	10mm	6.5mm	100m/roll
PU 12x8	12mm	8mm	100m/roll
PU 16x12	16mm	12mm	100m/roll

Inch Sizes 英制尺寸			
ITEM NO./产品型号	O.D./外径尺寸	I.D./内径尺寸	Standard Length/标准长度
PU 1/8	1/8"	2mm	200m/roll
PU 3/16	3/16"	3.2mm	200m/roll
PU 5/32	5/32"	2.5	200m/roll
PU 1/4	1/4"	4.23mm	200m/roll
PU 5/16	5/16"	5mm	100m/roll
PU 3/8	3/8"	1/4"	100m/roll
PU 1/2	1/2"	8.46mm	100m/roll
PU 5/8	5/8"	12mm	100m/roll

*可按客户定制长度包装。
*Customized length is available.

Color 颜色

BLUE	BLACK	CLEAR	RED	YELLOW	ORANGE	GREEN	CLRAR GREEN	CLEAR RED	CLEAR BLUE

*可接受客户定制颜色。
*Customized color is available.

COIL PU (POLYURETHANE) TUBINGS - ESTER/ETHER BASTED 聚氨酯螺旋管 - 聚醚型/聚醚型

Products Features 产品特点

- Flexible polyurethane material, which is reached the ROHS environmental protection requirements
- Excellent performance of resistance against high-pressure, vibration, corrosion, wear, weather and bending.
- High precision of inside and outside dia sizes controllable, suitable for various kinds of fittings.
- Free extension.
- 可塑性聚氨酯材质，符合 ROHS 环保要求
- 具有优异的抗高压、抗振动、抗腐蚀、耐磨、耐气候和抗弯曲性能。
- 可控内外径尺寸的高精度，适用于各种接头。
- 自由拉伸。

Products Specifications 产品参数

Material/材质	PU/聚氨酯
Fluid Admitted/适用流体	Air, Water*/空气, 水*
Burst Pressure/爆破压力	30 Bar
Working Pressure/工作压力	10 Bar
Working Temperature/环境温度及使用流体温度	-40°C-60°C
*No Freezing/不冻结	



Metric Sizes 公制尺寸			
ITEM NO./产品型号	O.D./外径尺寸	I.D./内径尺寸	Extended Length/拉直长度
PUC 3x2-2/4/6/10/15	3mm	2mm	2m/4m/6m/10m/15m...
PUC 4x2.5-2/4/6/10/15	4mm	2.5mm	
PUC 6x4-2/4/6/10/15	6mm	4mm	
PUC 8x5-2/4/6/10/15	8mm	5mm	
PUC 8x5.5-2/4/6/10/15	8mm	5.5mm	
PUC 10x6.5-2/4/6/10/15	10mm	6.5mm	
PUC 12x8-2/4/6/10/15	12mm	8mm	
PUC 16x12-2/4/6/10/15	16mm	12mm	

Inch Sizes 英制尺寸			
ITEM NO./产品型号	O.D./外径尺寸	I.D./内径尺寸	Extended Length/拉直长度
PUC 1/8-2/4/6/10/15	1/8"	2mm	2m/4m/6m/10m/15m...
PUC 3/16-2/4/6/10/15	3/16"	3.2mm	
PUC 5/32-2/4/6/10/15	5/32"	2.5	
PUC 1/4-2/4/6/10/15	1/4"	4.23mm	
PUC 5/16-2/4/6/10/15	5/16"	5mm	
PUC 3/8-2/4/6/10/15	3/8"	1/4"	
PUC 1/2-2/4/6/10/15	1/2"	8.46mm	
PUC 5/8-2/4/6/10/15	5/8"	12mm	

*可按客户定制长度包装。
*Customized length is available.

Color 颜色

BLUE	BLACK	CLEAR	RED	YELLOW	ORANGE	GREEN	CLRAR GREEN	CLEAR RED	CLEAR BLUE

*可接受客户定制颜色。
*Customized color is available.

PA (POLYAMIDE, NYLON) TUBINGS 尼龙管

Products Features 产品特点

- Superior mechanical strength and excellent abrasive resistance, oil resistance, superior cold resistance.
- High precision of inside and outside dia sizes controllable, suitable for various kinds of fittings.
- High resistance to hydrocarbons oils and chemical products.
- It is normally used on auto, machine tool, chemical and metallurgy etc.
- 优异的机械强度和优异的耐磨性、耐油性、强抗寒性。
- 可精确控制内外径尺寸，适用于各种管件。
- 对碳氢化合物油和化学产品具有很高的抵抗力。
- 常用于汽车、机床、化工、冶金等行业。

Products Specifications 产品参数

Material/材质	PA (Polyamide, Nylon)/尼龙
Fluid Admitted/适用流体	Air, Water*/空气, 水*
Burst Pressure/爆破压力	80 Bar 1160 Psi
Working Pressure/工作压力	20 Bar 290 Psi
Working Temperature/环境温度及使用流体温度	-40°C -80°C
*No Freezing/不冻结	



Metric Sizes 公制尺寸			
ITEM NO./产品型号	O.D./外径尺寸	I.D./内径尺寸	Standard Length/标准长度
PA 4x2	4mm	2mm	100m/roll
PA 6x4	6mm	4mm	100m/roll
PA 8x6	8mm	6mm	100m/roll
PA 10x8	10mm	8mm	100m/roll
PA 12x9	12mm	9mm	100m/roll
PA 12x10	12mm	10mm	100m/roll
PA 14x11	14mm	11mm	100m/roll
PA 16x12	16mm	12mm	100m/roll

Inch Sizes 英制尺寸			
ITEM NO./产品型号	O.D./外径尺寸	I.D./内径尺寸	Standard Length/标准长度
PA 3/16	3/16"	3.16mm	100m/roll
PA 1/4	1/4"	4.35mm	100m/roll
PA 5/16	5/16"	6mm	100m/roll
PA 3/8	3/8"	1/4"	100m/roll
PA 1/2	1/2"	9.5mm	100m/roll
PA 5/8	5/8"	12.68mm	50m/roll

Color 颜色

BLUE	BLACK	WHITE	RED	YELLOW	ORANGE	GREEN	CLRAR GREEN	CLEAR RED	CLEAR BLUE

*可接受客户定制颜色。

*Customized color is available.

PE (POLYETHYLENE) TUBINGS 聚乙烯管

Products Features 产品特点

- Polyethylene (PE) tubing is produced from resins that provide increased dimensional stability, uniformity and long-term strength.
- PE tubing is the economical choice for chemical and food applications.
- 聚乙烯 (PE) 管由树脂制成, 可提高尺寸稳定性、均匀性和长期强度。
- 聚乙烯 (PE) 管是化学和食品应用中的经济选择。

Products Specifications 产品参数

Material/材质	PE (Polyethylene)/聚乙烯
Fluid Admitted/适用流体	Air, Water*/空气, 水*
Burst Pressure/爆破压力	35 Bar
Working Pressure/工作压力	10 Bar
Working Temperature/环境温度及使用流体温度	-40°C-60°C
*No Freezing/不冻结	



Metric Sizes 公制尺寸			
ITEM NO./产品型号	O.D./外径尺寸	I.D./内径尺寸	Standard Length/标准长度
PE 4x2	4mm	2mm	100m/roll
PE 6x4	6mm	4mm	100m/roll
PE 8x6	8mm	6mm	100m/roll
PE 10x8	10mm	8mm	100m/roll
PE 12x9	12mm	9mm	100m/roll
PE 12x10	12mm	10mm	100m/roll
PE 14x11	14mm	11mm	100m/roll
PE 16x12	16mm	12mm	100m/roll

Inch Sizes 英制尺寸			
ITEM NO./产品型号	O.D./外径尺寸	I.D./内径尺寸	Standard Length/标准长度
PE 1/4	1/4"	4.35mm	100m/roll
PE 5/16	5/16"	6mm	100m/roll
PE 3/8	3/8"	1/4"	100m/roll
PE 1/2	1/2"	9.5mm	100m/roll

Color 颜色

BLUE	BLACK	WHITE	RED	YELLOW	ORANGE	GREEN	CLRAR GREEN	CLEAR RED	CLEAR BLUE

*可接受客户定制颜色。
*Customized color is available.

PTFE (TEFLON) TUBINGS 特氟龙管

Products Features 产品特点

- Excellent chemical and weather resistance.
- It is normally used on chemical, food processing, medical care, and semiconductor applications.
- 超强的耐化学与天气能力.
- 适用于化学、食品加工、医疗护理以及半导体应用。

Products Specifications 产品参数

Material/材质	PTFE (Teflon)/铁氟龙
Fluid Admitted/适用流体	Air, Water*/空气, 水*
Burst Pressure/爆破压力	80 Bar 1160 Psi
Working Pressure/工作压力	20 Bar 290 Psi
Working Temperature/环境温度及使用流体温度	-65°C-260°C
*No Freezing/不冻结	



Metric Sizes 公制尺寸			
ITEM NO./产品型号	O.D./外径尺寸	I.D./内径尺寸	Standard Length/标准长度
PTFE 4x2	4mm	2mm	100m/roll
PTFE 6x4	6mm	4mm	100m/roll
PTFE 8x6	8mm	6mm	100m/roll
PTFE 10x8	10mm	8mm	100m/roll
PTFE 12x9	12mm	9mm	100m/roll
PTFE 12x10	12mm	10mm	100m/roll
PTFE 14x11	14mm	11mm	100m/roll
PTFE 16x12	16mm	12mm	100m/roll

Inch Sizes 英制尺寸			
ITEM NO./产品型号	O.D./外径尺寸	I.D./内径尺寸	Standard Length/标准长度
PTFE 1/4	1/4"	4.35mm	100m/roll
PTFE 5/16	5/16"	6mm	100m/roll
PTFE 3/8	3/8"	1/4"	100m/roll
PTFE 1/2	1/2"	9.5mm	100m/roll

Color 颜色

BLUE	BLACK	WHITE	RED	YELLOW	ORANGE	GREEN	CLRAR GREEN	CLEAR RED	CLEAR BLUE

*可接受客户定制颜色。
*Customized color is available.